

# **Electric** Mobility Scooters

MARSHELL ELECTRIC VEHICLES





#### Manufacturing Bases:

#### **Guangdong Factory:**

GUANGDONG MARSHELL ELECTRIC VEHICLE CO., LTD. Add.:Linjiang Industrial Area, Zhaoqing, Guangdong, China

#### Anhui Factory:

ANHUI HOPPER INDUSTRIAL VEHICLE CO.LTD. Add:36 Wutong avenue, Economic development zone, Huaibei city, Anhui province China

EAOE:2023-09







#### **COMPANY** PROFILE



Marshell is the world class leading manufacturer with a core business in developing and producing all kinds of electric vehicles and auto-electronic products since 2002.

With over the last two decades of technological accumulation and manufacturing experience, Marshell has excellent self–design and productive capacity, and owns 8 production lines that can offer more than 1,000 products in dozens of categories.

#### **COMPANY** ABILITY

MARSHELL FACTORY
SALES OFFICE

GUANGDONG SALES OFFICE ANHUI SALES OFFICE SHANGHAI SALES OFFICE ANHUI HEFEI SALES OFFICE SHENZHEN SALES OFFICE

Marshell has 3 production bases in Guangdong, China and Vietnam with workshops spreading over 500,000 square meters, which can produce huge variety of product ranges comparing to its competitors, such as golf carts, sightseeing buses, golf trolleys, mobility scooters, customized carts, cleaning equipment, folk-lifts and pallet stackers. Marshell has the production capacity to manufacture over 1200 units per month which will increase as we expand. All of these advantages make Marshell become one of the largest electric vehicles manufacturers in China.



MARSHELL VIETNAM



# **Electric Mobility Scooters**



DL24800-1

**N1** 

በ2



DL24800-3



DL24800-4

05
1
06



DI241200

07 / 08



#### Model No. DL24800-1

POWER SUPPLY	
Battery	12V45AH*2
Motor	24V800W
Controller	PG 24V 120A
Charger	24V5A

PERFORMANCE	
Max. speed	15KM/H
Max.traveling range	30KM
Climbing capacity	15%
Brake range	4.6M
Minimum turning radius	1.8M
Gross weight	142KG
Carrying capacity	182KG

וח	М	EN	١S	IO	Ν

Tyre
Normal dimensions
Folded dimensions
Carton dimensions
Qty per container
Optional parts

12"
1320*685*1350MM
1320*685*1050MM
1450*692*795MM
24PCS/48PCS/72PCS
75AH battery, Sun car
enclosure , Solid tyre,
Cane holder









S anopy, Rain cover , Rear bag,

> 01 02





#### Model No. DL24800-3

POWER SUPPLY			
Battery	12V45AH*2		
Motor	24V800W		
Controller	PG 24V 120A		
Charger	24V5A		

15KM/H
30KM
15%
4.6M
3.0M
135KG
130KG

	Me	ON
וט		

Tyre	Front 10" ,Rear14"
Normal dimensions	1210*620*1280MM
Folded dimensions	1210*620*830MM
Carton dimensions	1320*720*860MM
Qty per container	24PCS/54PCS/81PC
Optional parts	Rear basket, Cane ho









CS holder

> 03 04





#### Model No. DL24800-4

POWER SUPPLY			
Battery	12V45AH*4pcs		
Motor	24V800W		
Controller	PG 24V 120A		
Charger	24V5A		

#### PERFORMANCE 12KM/H Max. speed 35KM Max.traveling range 15% Climbing capacity 4M Brake range 4M Minimum turning radius 170KG Gross weight 197KG Carrying capacity

#### DIMENSION

Tyre	10"
Normal dimensions	1860*630*1290MM
Folded dimensions	1800*630*830MM
Carton dimensions	1890*730*895MM
Qty per container	18PCS/36PCS/36PC
Optional parts	Sun canopy,Cane ho









CS nolder





#### Model No. DL241200

POWER SUPPLY	
Battery	12V45AH*4
Motor	24V1200W
Controller	PG 24V 200A
Charger	24V5A

PERFORMANCE	
Max. speed	10KM/H
Max.traveling range	45KM
Climbing capacity	15%
Brake range	4M
Minimum turning radius	3.5M
Gross weight	200KG
Carrying capacity	225KG

-	_	_			
n	1.04	E 13	٧S	In	INI
	1.1		10		

Туге	10"
Normal dimensions	1860*630*1290MM
Folded dimensions	1800*630*830MM
Carton dimensions	1890*730*895MM
Qty per container	18PCS/36PCS/36PCS
Optional parts	Sun canopy,Cane holde









nolder

07 08




## **Optional Parts For Mobility Scooter**

75AH battery



Rain cover



Sun canopy



Solid tyre



Cane holder



Rear bag

### **Customer Case**



